

# WAXIE Solution Station® 710 Multi-Purpose Disinfectant Cleaner



## DESCRIPTION

An economical (dilutes at 1:256), one-step, hospital-grade, disinfectant cleaner that is effective against a broad spectrum of bacteria (including Community Acquired Methicillin resistant Staphylococcus aureus (CA-MRSA, MRSA), Methicillin resistant Staphylococcus aureus (MRSA), Staphylococcus aureus (Staph), Vancomycin intermediate resistant Staphylococcus aureus (VISA), and Vancomycin resistant Enterococcus (VRE), is virucidal (including HIV-1(AIDS) Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and Influenza A2/Hong Kong), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed. This product is a no rinse, neutral-pH, disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step. Will not dull most metal-interlock floor finishes. Can be used with a mop and bucket, trigger sprayers, sponge, or by soaking. Appealing citrus fragrance with lemon and lime notes.

## SPECIFICATIONS

	AS SOLD	USE DILUTION
Appearance	Yellow liquid	Clear, colorless liquid
Odor	Citrus odor	Pleasant
pH	6.0-8.0	Approx. 7.0
VOC	51.00 g/L (5.1%)	0.199 g/L
Melting Point/Freezing Point	No data	Approx. 0°C (32°F)
Initial Boiling Point/Boiling Range	> 100°C (210°F)	Approx. 100°C (212°F)
Flash Point	> 54.4°C (130°F)	N/A
Flammability	Class II Combustible Liquid	N/A
Relative Density (Density)	No data available	Approx. 1.0
Solubility	Completely soluble in water	Completely soluble in water

### ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride	6.510%
Dioctyl dimethyl ammonium chloride	3.255%
Didecyl dimethyl ammonium chloride	3.255%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride	8.680%
<b>OTHER INGREDIENTS:</b>	<b>78.300%</b>
<b>TOTAL:</b>	<b>100.000%</b>

**SHELF LIFE:** All WAXIE brand chemical products have a guaranteed shelf life of up to one year after the date product was manufactured, when stored in ambient conditions. The actual manufacturing date is included in a date code on every product container.

## DIRECTIONS FOR USE


For use with WAXIE Solution Station® dispensers.

Refer to the product label for complete usage directions.

**DILUTION RATIO:** 1:256 (½ oz/gal) of water in bottle fill mode. Each bottle makes 204 gallons. Each case makes 815 gallons.

Item: 170401 3 L 4/cs  
Secondary Label: 170401LBL each

## APPLICATION



## FEATURES & BENEFITS

- Closed-loop system
- Color- & number-coded
- Designed for use with Nexgen, FDC & PDC dispensers
- One-step, hospital-grade, disinfectant cleaner
- Effective in the presence of 5% serum contamination
- Bleach free; Phosphate free
- Neutral-pH formulation will not dull floor finishes
- Inhibits the growth of mold and mildew

## PRODUCT REGISTRATIONS & CERTIFICATIONS

- EPA Registration No. 1839-167-14994
- CACC Certified

# WAXIE Solution Station® 710 Multi-Purpose Disinfectant Cleaner

## SAFETY INFORMATION

### PERSONAL PROTECTIVE EQUIPMENT:

**Concentrate** D – Safety Glasses, Gloves, Protective Apron & Face Shield



**Ready-to-Use** C – Safety Glasses, Gloves & Protective Apron



Read the Safety Data Sheet (SDS) and product label before use. The SDS and product label contain hazard warnings, precautionary statements and first aid procedures. SDS documents are available online at [www.waxie.com](http://www.waxie.com) or by calling (800) 995-4466.

For sale to, use and storage by service professionals only. Keep out of reach of children.

**HOTLINE NUMBER:** You may contact Chem-Tel at (800) 255-3924 for emergency medical treatment information.

## DISINFECTION & SANITIZATION CLAIMS

**MICRO-ORGANISMS:** At a 1:256 dilution (½ oz of product per gallon of water), in the presence of 400 ppm hard water, 5% blood serum load and 10 minute contact time (200 ppm hard water, 5% blood serum load and 10 minute contact time for Fungicidal and Mildewstat Activity), unless otherwise noted, this product kills the following on hard, nonporous inanimate surfaces:

BACTERICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Ampicillin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Bactrim resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Bordetella bronchiseptica	850 PPM	10 Minutes	½ oz/gl
Cefazolin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Ceftazidime resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Ceftriaxone resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Ciprofloxacin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Community Acquired Methicillin Resistant Staphylococcus aureus (CA-MRSA) (NRS 384 Genotype USA300)	850 PPM	10 Minutes	½ oz/gl
Community Acquired Methicillin Resistant Staphylococcus aureus (CA-MRSA) (NRS 123 Genotype USA400)	850 PPM	10 Minutes	½ oz/gl
Corynebacterium ammoniagenes	850 PPM	10 Minutes	½ oz/gl
Enterobacter aerogenes	850 PPM	10 Minutes	½ oz/gl
Enterobacter cloacae NDM-1 positive	850 PPM	10 Minutes	½ oz/gl
Enterobacter cloacae (clinical isolate)	850 PPM	10 Minutes	½ oz/gl
Enterococcus faecalis	850 PPM	10 Minutes	½ oz/gl
Enterococcus faecalis (clinical isolate)	850 PPM	10 Minutes	½ oz/gl

BACTERICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Escherichia coli	850 PPM	10 Minutes	½ oz/gl
Escherichia coli (clinical isolate)	850 PPM	10 Minutes	½ oz/gl
Fusobacterium necrophorum	850 PPM	10 Minutes	½ oz/gl
Gentamicin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Klebsiella pneumonia	850 PPM	10 Minutes	½ oz/gl
Lactobacillus (rhamnosus) casei	850 PPM	10 Minutes	½ oz/gl
Listeria Moncytogenes	850 PPM	10 Minutes	½ oz/gl
Levofloxacin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Methicillin Resistant Staphylococcus aureus (MRSA)	850 PPM	10 Minutes	½ oz/gl
Pasteurella multocida	850 PPM	10 Minutes	½ oz/gl
Proteus mirabilis 9921	850 PPM	10 Minutes	½ oz/gl
Proteus mirabilis 25933	850 PPM	10 Minutes	½ oz/gl
Proteus vulgaris	850 PPM	10 Minutes	½ oz/gl
Pseudomonas aeruginosa (pseudomonas)	850 PPM	10 Minutes	½ oz/gl
Pseudomonas sp. (Pseudomonas fluorescens) (Mummy Disease)	850 PPM	10 Minutes	½ oz/gl
Pseudomonas tolaasii	850 PPM	10 Minutes	½ oz/gl
Salmonella enterica (salmonella)	850 PPM	10 Minutes	½ oz/gl
Salmonella (paratyphi B) enterica	850 PPM	10 Minutes	½ oz/gl

# WAXIE Solution Station® 710 Multi-Purpose Disinfectant Cleaner

## DISINFECTION & SANITIZATION CLAIMS (CONTINUED)

**MICRO-ORGANISMS:** At a 1:256 dilution (½ oz of product per gallon of water), in the presence of 400 ppm hard water, 5% blood serum load and 10 minute contact time (200 ppm hard water, 5% blood serum load and 10 minute contact time for Fungicidal and Mildewstat Activity), unless otherwise noted, this product kills the following on hard, nonporous inanimate surfaces:

BACTERICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Salmonella (pullorum) enterica	850 PPM	10 Minutes	½ oz/gl
Salmonella (typhi) enterica	850 PPM	10 Minutes	½ oz/gl
Salmonella (typhimurium) enteric	850 PPM	10 Minutes	½ oz/gl
Salmonella (enteritidis) enterica	850 PPM	10 Minutes	½ oz/gl
Serratia marcescens	850 PPM	10 Minutes	½ oz/gl
Shigella dysenteriae	850 PPM	10 Minutes	½ oz/gl
Shigella flexneri	850 PPM	10 Minutes	½ oz/gl
Shigella sonnei	850 PPM	10 Minutes	½ oz/gl
Staphylococcus aureus (staph)	850 PPM	10 Minutes	½ oz/gl
Staphylococcus aureus (clinical isolate)	850 PPM	10 Minutes	½ oz/gl
Staphylococcus epidermidis	850 PPM	10 Minutes	½ oz/gl
Staphylococcus epidermidis (clinical isolate)	850 PPM	10 Minutes	½ oz/gl
Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3)	850 PPM	10 Minutes	½ oz/gl
Streptococcus pyogenes (strep)	850 PPM	10 Minutes	½ oz/gl
Tobramycin resistant Acinetobacter baumannii (clinical isolate – Fairfax Hospital)	850 PPM	10 Minutes	½ oz/gl
Vancomycin Intermediate Resistant Staphylococcus aureus (VISA)	850 PPM	10 Minutes	½ oz/gl
Vancomycin Resistant Enterococcus [Faecalis] (VRE)	850 PPM	10 Minutes	½ oz/gl
Xanthomonas maltophilia (clinical isolate)	850 PPM	10 Minutes	½ oz/gl

FUNGICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Candida albicans	850 PPM	10 Minutes	½ oz/gl
Trichophyton mentagrophytes (Athlete's foot fungus)	850 PPM	10 Minutes	½ oz/gl

MILDEWSTAT ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Aspergillus niger	850 PPM	10 Minutes	½ oz/gl

VIRUCIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Avian Influenza A Virus	850 PPM	10 Minutes	½ oz/gl
Bovine Rhinotracheitis	850 PPM	10 Minutes	½ oz/gl
Bovine Viral Diarrhea Virus	850 PPM	10 Minutes	½ oz/gl
Canine Distemper Virus	850 PPM	10 Minutes	½ oz/gl
Feline Leukemia	850 PPM	10 Minutes	½ oz/gl
Feline Picornavirus	850 PPM	10 Minutes	½ oz/gl
Hepatitis B virus (HBV)	850 PPM	10 Minutes	½ oz/gl
Hepatitis C virus (HCV)	850 PPM	10 Minutes	½ oz/gl
Herpes simplex Virus Type 1 (herpes)	850 PPM	10 Minutes	½ oz/gl
Herpes simplex Virus Type 2 (herpes)	850 PPM	10 Minutes	½ oz/gl
HIV-1 (AIDS) Virus	850 PPM	10 Minutes	½ oz/gl
HIV-2 (AIDS) Virus	850 PPM	10 Minutes	½ oz/gl
Human Coronavirus	850 PPM	10 Minutes	½ oz/gl
H1N1 Influenza A Virus	850 PPM	10 Minutes	½ oz/gl
Influenza A2 Virus (Strain Hong Kong)	850 PPM	10 Minutes	½ oz/gl
Paramyxovirus	850 PPM	10 Minutes	½ oz/gl
Porcine Respiratory & Reproductive Syndrome Virus (PRRSV)	850 PPM	10 Minutes	½ oz/gl
Pseudorabies Virus	850 PPM	10 Minutes	½ oz/gl
Rabies Virus	850 PPM	10 Minutes	½ oz/gl
Rotavirus	850 PPM	10 Minutes	½ oz/gl
SARS associated Coronavirus	850 PPM	10 Minutes	½ oz/gl
Vaccinia Virus	850 PPM	10 Minutes	½ oz/gl